



WITH
Shell
PUREPLUS
TECHNOLOGY

Shell Helix *Ultra Professional* AJ-L LE 0W-20

Fully Synthetic Motor Oil - Tailored to meet engine manufacturer special requirements



Designed to meet the demanding requirements of particular high-performance gasoline engines from Jaguar Land Rover and those requiring ACEA C5. It helps to reduce engine friction to provide enhanced fuel economy

Proud Drivers Choose Shell Helix

Main Applications

- Shell Helix Ultra Professional AJ-L LE 0W-20 is approved against the technically challenging Jaguar-Land Rover engine oil specification STJLR 03.5006. It is formulated specifically for use in Jaguar and Land Rover vehicles calling for this specification which combines ACEA engine tests with special JLR in-house testing and evaluation. Also suitable where ACEA C5 performance is required.

Specifications, Approvals & Recommendations

- ACEA C5
- Jaguar Land Rover STJLR.03.5006
- To find the right Shell Helix product for your vehicles and equipment, please consult Shell LubeMatch at: <http://lubematch.shell.com>
- Advice on applications not covered here may be obtained from your Shell or Shell Lubricants distributor representatives or technical helpdesks.

Typical Physical Characteristics

Properties			Method	Shell Helix Ultra Professional AJ-L LE 0W-20
Kinematic Viscosity	@100°C	cSt	ASTM D445	8.3
Kinematic Viscosity	@40°C	cSt	ASTM D445	41.5
Flash Point		°C	DIN ISO 2592	203
Density	@15°C	kg/m ³	ASTM D4052	839
Pour Point		°C	ASTM D97	-48

These characteristics are typical of current production. Whilst future production will conform to Shell's specification, variations in these characteristics may occur.

Health, Safety & Environment

• Health and Safety

This product is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Guidance on health and safety is available on the appropriate Safety Data Sheet, which can be obtained from <https://epc.shell.com>

• Protect the Environment

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.